

TOMEI Camshaft Spec Card

PART NAME **PONCAM / PROCAM** ENGINE **BP-ZE NA8C (93.7-98.1)**

PART NUMBER **SET 143053 IN 1495252092 EX 1496256095**

GRIND **IN 252° / 9.20mm LASH BACE IN Φ33.6 ROCKER ARM RATIO* VALVE CLEARANCE IN -**
EX 256° / 9.50mm LASH CIRCLE(Φ) EX Φ34.2 - WHEN COLD EX -

LIFT **IN @CAM 9.20mm @VALVE 9.20mm LOBE IN 110.0**
EX @CAM 9.50mm @VALVE 9.50mm CENTER(°) EX 110.0

* ALL LIFTS ARE BASED ON ZERO LASH AND THORETICAL ROCKER ARM RATIOS

CAM TIMING		OPENS(°)		CLOSES(°)		Actual Duration @ Opening (°)
Actual Duration	IN	BTDC	16.0	ABDC	56.0	252.0
Valve Lift	EX	BBDC	58.0	ATDC	18.0	256.0





Values shown are, from start to the end of actual duration. (Excluding the ramp values)

CAM TIMING		OPENS(°)		CLOSES(°)		TOTAL DURATION(°)
at 1mm	IN	ATDC	3.0	ABDC	37.0	214.0
Valve Lift	EX	BBDC	40.0	TDC	0.0	220.0

Values are of actual duration from start to end of 1mm value points. (Excluding ramp values)

CAM TIMING		OPENS(°)		CLOSES(°)		TOTAL DURATION(°)
at 0.05"	IN	ATDC	5.0	ABDC	35.0	210.0
Valve Lift	EX	BBDC	38.0	BTDC	2.0	216.0

Values are of actual duration from start to end of 0.05" value points. (Excluding ramp values)



REQUIRED VALVE SPRING SPEC	
NOMAL HEIGHT	
SET LENGTH	
LIFT LENGTH	
COMPRESSED HEIGHT	
SET LOAD	
LIFT LOAD	
TOMEI PART NUMBER	

REQUIRED PARTS	
PRODUCT NAME	TOMEI PART NUMBER